

ET60/ET65 ET60W/ET65W Accessories Guide

The most versatile rugged Android
and Windows business tablets

Revised March 2025



I.	Accessories that power devices	
1	Accessories for vehicle installations	3
1.1	Vehicle Cradles	3
1.2	Vehicle Power Supplies and Cables	4
1.3	Vehicle Mounts	6
1.4	Warehouse Keyboard for Vehicles	7
2	AC/DC Power Supply	8
3	Battery Charger	8
4	Batteries	9
II.	Accessories that enable productivity solutions	
5	2-in-1 Keyboard	10
6	Connect Cradle (Workstation)	11
7	Smart Card and RFID Reader	12
8	Stylus	13
9	Straps, Stand and Screen Protector	14
III.	Third Party Accessories	
10	Havis	16
11	RAM Mounts	18
12	Gamber Johnson	19
13	ProClip/Brodit	21

Vehicle Docks



Vehicle Dock Charging, 2 x USB Type A, 1 x RS232

SKU# CRD-ET6X-VEHDK-CON-01

- Small design, Quick release, VESA mount pattern
- IP66, Extreme shock, vibration and thermal shock testing – built to survive constant pounding
- Heated pogo pins to avoid corrosion and loss of connection
- 2 USB Type A ports and one serial port to connect peripherals
- All ports are securely covered in a compartment
- Allows locking the ET6x



Vehicle Dock with Antenna Pass Through

SKU# CRD-ET6X-VEHDK-PTA-01

- Small design, Quick release, VESA mount pattern
- IP66, Extreme shock, vibration and thermal shock testing – built to survive constant pounding
- Heated pogo pins to avoid corrosion and loss of connection
- 3 antenna passthroughs for strong GPS and wireless signals
- 2 USB Type A ports and one serial port to connect peripherals
- All ports are securely covered in a compartment
- Allows locking the ET6x



Vehicle Dock Power Supplies and Cables



DC/DC Power Supplies

SKU# PS1370

- To be installed between the vehicle dock and the vehicle battery
- 24 to 90 VDC input voltage, 90W
- -30° to +50° C Operating Temperature
- Isolated
- Must be used with the ET60 Touch Screen Heater configuration



DC Power Adapter Cable

SKU# CBL-ET6-ADPA2-1

- To connect the DC/DC Power Supply PS1370 with the ET6 Vehicle Dock



DC Power Extension Cable

SKU# CA1210

- To connect the DC/DC power supply PS1370 with the vehicle battery



DC Power Adapter to VC70 DC Power Cable

SKU# CB000416A01

- Replace a legacy Zebra VC70 and reuse the existing DC power cable
- To be installed between the existing DC power cable and the DC/DC power supply



DC Power Adapter to VC50 DC Power Cable

SKU# CB000417A01

- Replace a legacy Zebra VC50 and reuse the existing DC power cable
- To be installed between the existing DC power cable and the DC/DC power supply



AC/DC Power Supply

SKU# 450020

- 100-240 VAC in, 14 VDC out
- To power the vehicle dock from a regular 110/220 VAC outlet

Please order AC cable separate:

- 450040 (for US)
- 450047 (for Australia/New Zealand)
- 450042 (for EU)
- 450041 (for UK)
- ACC-L10LINECORD-TW (for Taiwan)
- ACC-L10LINECORD-JP (for Japan)
- ACC-L10LINECORD-CN (for China)

Vehicle Dock Alternative DC Power Supplies and Cables



DC/DC Power Supplies

9-60 VDC: SKU# 450083

50-150 VDC: SKU# 450084

- To be installed between the vehicle dock and the vehicle battery
- Can not be used with the ET60 Touch Screen Heater configuration
- Check the voltage of the vehicle before selecting the variant



Direct Wire Kit

SKU# 300039

- To connect the 450083 or 450084 DC/DC power supply with the Vehicle Dock and the vehicle battery



DC Power Adapter to VC DC Power Cable with CPC Connector

SKU# CBL-ET-ADPA1-1

- Replace a legacy Zebra VC and reuse the existing DC power cable
- To be installed between the existing DC power cable and the 450083 or 450084 DC/DC power supply



DC Power Adapter to legacy LXE VC DC Power Cable

SKU# ACC-PWRCBL01

- Replace a legacy LXE/Honeywell VC and reuse the existing DC power cable
- To be installed between the existing DC power cable and the 450083 or 450084 DC/DC power supply



Cigarette Lighter Adapter (CLA) to Vehicle Dock

SKU# 450143

- Power the Vehicle Dock from a 12V cigarette lighter
- To be installed between the vehicle dock and the cigarette lighter

Vehicle Mounts

The Vehicle Docks have the VESA mount pattern and can be used with a range of 3rd party mounts.







MT4301	RAM mount, 4" arm	
MT4302	RAM MOUNT, 8.5" ARM (12" arm length with two plates attached)	
MT3501	VESA plate (for 4" or 12" RAM arm)	
MT3502	Round plate (for 4" or 12" RAM arm)	
MT3505	Clamp base (for 4" or 12" RAM arm), 2" max. width	
MT3507	Clamp base (for 4" or 12" RAM arm), 3" max. width	
RAM-D-247U-4	Mount, RAM, Square Post Clamp Base for Posts up to 4" Wide, D-size ball	
MT3509	Rail base (for 4" or 12" RAM arm), 1-1/4" to 1-7/8"	
MT3510	Rail base (for 4" or 12" RAM arm), 2" to 2 1/2"	
350025	MOUNT, L10/ET8X, RAM FORKLIFT MOUNTING KIT	
STND-ET-DESK-01	Desk Stand for Vehicle Dock	

Warehouse Keyboard for Vehicles



Warehouse Keyboard

- Alphanumeric
- 12 direct Function keys
- Field replaceable elastomer and cable
- IP66, -30 to +50 C, condensing environments
- Dimmable backlight
- Controller chip with build-in temperature compensation
- Heated board and drainage system for condensing environments
- AMPS mounting holes pattern

KYBD-QW-VC-01	VC USB Keyboard QWERTY	
KYBD-AZ-VC-01	VC USB Keyboard AZERTY	
KYBD-QW-ET-S-1	VC USB Keyboard QWERTY with USB Type A Cable	
CBL-ET-KBUSB1-01	USB Type A Cable for Warehouse Keyboard	
CBL-ET-KBUSB2-01	USB & RS232 Y-Cable for Warehouse Keyboard (to power keyboard heaters)	
KT-KYBDTRAY-ET6X-01	ET6x Keyboard Tray for Vehicle Dock, VESA & AMPS Mounting Hole Pattern	

AC/DC Power Supply



AC/DC Power Supply

SKU# PWR-BGA15V45W-UC2-WW

- 100-240 VAC in, 14 VDC out
- To power the tablet from a regular 110/220 VAC outlet

Please order AC cable separate:

- 450040 (for US)
- 450047 (for Australia/New Zealand)
- 450042 (for EU)
- 450041 (for UK)
- ACC-L10LINECORD-TW (for Taiwan)
- ACC-L10LINECORD-JP (for Japan)
- ACC-L10LINECORD-CN (for China)

Battery Charger



2-Bay Battery Charger

SKU# SAC-ET6X-2SCHG-01

- To charge the standard as well as the extended battery in any combination.

Please order power supply and cables separate:

- PWR-BGA12V50W0WW
- DC Line Cord CBL-DC-388A1-01
- Country specific 3 wire AC Line Cord.

Batteries

The **ET6x Windows and Android** requires batteries with a different voltage and have therefore different part numbers.



Standard Battery

ET6 Android SKU# BTRY-ET6XA-9AH-01

ET6 Windows SKU# BTRY-ET6XW-5AH-01

- ET6x Standard Battery, 36 Wh
- Zebra's PowerPrecision+ batteries provide the intelligence to better manage a battery pool.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.



Extended Battery

ET6 Android SKU# BTRY-ET6XA-18AH-01

ET6 Windows SKU# BTRY-ET6XW-9AH-01

- ET6x Extended Battery, 72 Wh
- Zebra's PowerPrecision+ batteries provide the intelligence to better manage a battery pool.
- Obtain advanced battery state of health information including charge level and battery age based on usage patterns.



No Cells Battery

ET6 Android SKU# BTRY-ET6X-0AH-01

ET6 Windows SKU# BTRY-ET6XW-0AH-01

- Battery housing without cells
- Cost saving and elimination of battery maintenance in fixed mount installations

2-in-1 Keyboard





2-in-1 Keyboard

- Add to any ET6x tablet for a true 2-in-1 laptop experience.
- Patented magnetic latching for positive audio feedback when latching to tablet.
- Friction hinge to set viewing angle to user preference.
- Opens 180° for infinite viewing adjustment.
- IP65 dust and water sealing
- Screwless design for more rigid assembly
- Can be combined with Zebra's ET60 / ET65 docking solutions, and other accessories.
- 78 full sized keys.
- Large touchpad with ergonomic mouse buttons and multi-finger gestures.
- Scissor switch keys for quality notebook feel.
- Integrated handle for easy portability even with gloves.
- Primary backlight color choice. Can scroll through primary colors with function keys for quickly changing colors and backlight intensity.
- Kensington lock slot to secure keyboard and tablet.
- Five layouts available (US English, UK English, French, Spanish, German).

SKUs

- US English Layout: [KYB-ET6X-2IN1-US1-01](#)
- UK English Layout: [KYB-ET6X-2IN1-UK1-01](#)
- French Layout: [KYB-ET6X-2IN1-FR1-01](#)
- Spanish Layout: [KYB-ET6X-2IN1-ES1-01](#)
- German Layout: [KYB-ET6X-2IN1-DE1-01](#)



Connect Cradle (Workstation) (Android only)



Connect Cradle (Workstation) (Android only)

- Allows to connect an ET6x Android tablet to an external monitor and multiple peripherals
- Includes HDMI, Ethernet, 3.5mm Headset Jack and USB-A (x4) ports.
- Requires power supply PWR-BGA12V50W0WW, DC Line Cord CBL-DC-388A2-01 and country specific grounded AC Line Cord sold separately
- Requires Workstation Connect software version 4.1 or newer
- Compatible with accessories that attach to the back of the ET6x (Smart Card Reader, RFID Reader, Kickstand with Hand Strap)

SKU

- CRD-ET6X-1SNWS-01



Smart Card and RFID Reader



Smart Card Reader

- For Android and Windows
- Easy to install. Attaches to the back side of the ET6x
- ISO/IEC 7816 Part 1 to 4, EMV 2011 Ver 4.3 Ready
- Supported Smart Card Types: 5V, 3V and 1.8V, ISO/IEC 7816 Class A/B/C
- Supports T=0, T=1 protocols
- 8 pin ID-1 sliding contact socket
- Supports CCID (chip card interface device) protocol
- IP65 sealed
- Operating Temperature: 0 to 50 C
- Drop rating: 4 feet on concrete
- Size and weight: 186.3 x 87.6 x 13.2 mm, 131 g

SKUs

- Without Hand Strap: [XBK-ET6X-SMCARD-01](#)
- With Hand Strap: [XBK-ET6X-SMCARD-HS-01](#)



RFID Reader

- For Android and Windows
- Easy to install. Attaches to the back side of the ET6x
- Hand Strap
- EPC Class1 Gen2 UHF RFID protocol
- North America: 902-928 MHz
- EU: 865-867 MHz
- Read range: > 1 meter (3 feet)
- Multiple tags reading: min 10 tags per second
- Circular polarized antenna
- Max. USB 5V/750mA
- RF max power: 24 dBm
- IP66 sealed
- Operating Temperature: -20 to +60 C
- Drop rating: 4 feet on concrete

SKUs

- North America: [XBK-ET6X-RFID-N-01](#)
- EU: [XBK-ET6X-RFID-E-01](#)
- AU/NZ: [XBK-ET6X-RFID-A-01](#)

Stylus



Active Stylus

SKU# SG-ET8X-STYLUS1-01

- Allows for a large range of pressure sensitivity, tilt detection and hover capability.
- IP55 water and dust protected.
- Two side buttons for easy erase and menu access.
- Can be tethered to tablet with SG-ET5X-SLTETR-01 (sold separately).
- Can be secured to tablet with Pen Loop Holder (SG-ET8X-PENLOOP1-01) or inserted into handle SG-ET8X-HANDLE1-01 (sold separately).
- Uses one AAAA battery, included.



Stylus Holder

SKU# SG-ET8X-PENLOOP1-01

- Adhesive Loop attaches to rear of tablet



Coiled Tether

SKU# SG-ET5X-SLTETR-01

- Used to tether stylus to the tablet.
- Can be attached to tether points on device corners



Passive Stylus

SKU# SG-STYLUS-TCX-MTL-03

Fiber tipped stylus – pack of 3

- Heavy-duty and made from stainless steel / brass. No plastic parts — real pen feel.
- Micro-knit, hybrid-mesh, fiber tip provides silent, smooth gliding use.
- Length of stylus is 5".
- Tether to device or hand strap using SKU# SG-TC5NGTC7NG-TETHR-03.



Passive Stylus Tether

SKU# SG-TC5NGTC7NG-TETHR-03

- Can be attached to tether points on device corners
- String type tether prevents loss of stylus.



Small Passive Stylus Kit With Tether

SKU# SG-TC7X-STYLUS-03

Pack of 3

- Conductive Carbon-filled plastic material w/ 5mm tip
- Length of stylus is 3.5".
- Rigid plastic stylus is optimized for enterprise durability.
- Clip & tether point to reduce loss.
- Tether to the ET6X using the attachment points on the top right or top left sides of tablet.

Straps, Stand and Screen Protector



Kickstand with Hand Strap

SKU# XBK-ET6X-KCKSTD-01

- Easy to use while walking
- Adjustable to hand size
- Detents help lock desired rotation angle
- Kickstand provides great ergonomics for reading and touch screen interactions while the tablet is on flat surfaces
- User adjustable display angle



Replacement Hand Strap for Kickstand

SKU# SG-ET5X-RHTP1-01

- Spare/Replacement hand strap



Carry Handle

SKU# SG-ET8X-HANDLE1-01

- Comes with Stylus Slot and Coiled Stylus Tether
- Requires Attachment Clips (SG-ET6X-DCLIPS-01)



Shoulder Strap

SKU# SG-ET8X-SHLDR1-01


- Adjustable length
- Requires Attachment Clips (SG-ET6X-DCLIPS-01)



Attachment Clips for Straps

SKU# SG-ET6X-DCLIPS-01

- Attach to keyboard latch points on tablet



Screen Protector

SKU# MISC-ET6X-SCRNPT-3P

- Pack of 3
- Polyester with matte finish
- Can be applied to the standard and the heated touch screen

Third Party Accessories for ET6x Series Tablets

Note: Products sold that do not bear the Zebra brand name are serviced and supported exclusively by their manufacturers in accordance with terms and conditions packaged with the products. Zebra's Limited Warranty does not apply to products that are not Zebra branded, even if packaged or sold with Zebra products. Please contact the manufacturer directly for technical support and customer service.

Havis DS-ZEB-500 SERIES

ET6X TABLET SOLUTION

- Standard & advanced I/O for mission-critical peripherals
- External isolated & non-isolated power options
- One-handed docking & undocking
- Access to critical buttons, ports & barcode scanner when docked
- Compatible with Zebra extended battery, kickstand, hand strap, carry handle, & CAC reader



PART NUMBER	ETHERNET	USB 2.0	POWERED SERIAL	POWER INPUT	PASS-THRU ANTENNA	ANTENNA TYPE
DS-ZEB-501		1 REAR		12VDC*		
DS-ZEB-501-3		1 REAR		12VDC*	TRIPLE	SMA
DS-ZEB-503				USB-C		
DS-ZEB-504	1	2 REAR	1 @ 5VDC	12VDC*		
DS-ZEB-504-3	1	2 REAR	1 @ 5VDC	12VDC*	TRIPLE	SMA

*Requires an external Havis-approved DC power supply



MOUNTING SOLUTIONS FOR ZEBRA ET60 & ET65 TABLETS

Dual Ball Mount

DBM-1150-KL-0203

- 1.50" knob-style long housing
- (2) 1.50" TPU over-molded balls
- AMPS & VESA 75 base plates (1 standard, 1 long)
- Secure & adjustable mounting



Heavy Duty Magnetic Mount

C-MAG-102

- No-drill installation
- Powerful, secure magnet
- Dual knuckle for easy adjustment
- Versatile mounting locations
- Adhesive nitrile rubber pad to prevent scratches



Single Monitor Mount & 18" Pole

MM-10-850

- Versatile positioning for retail, hospitality, healthcare & more
- 1.75" diameter pole for cable management
- Edge liner protects cables
- Secure tilt without knobs or levers
- 135° tilt & 320° rotation





RAM® Docks & Accessories

for Zebra ET60 / ET65 2-in-1 Rugged Tablet

Introducing new RAM® Mounts for the Zebra ET60 & ET65 rugged 2-in-1 tablet. RAM® and Zebra Technologies have collaborated to bring you the most rugged and cost-efficient mounts, docking solutions, and ergonomic accessories for the ET60 & ET65. Being RAM® Compatible means we design for customization — because we know there are many different use cases that out of the box solutions don't provide. Build your custom mounts for the ET60/ET65 tablet docks for Manufacturing, Warehousing, Field/Utility services, public safety, and more!



Product Highlights



Self-Aligning Docking Pads

Built-in pogo pin charging contacts include self-aligning docking pads to ensure full contact and proper docking alignment.



Heated Pogo Pins

Built-in heating elements provide the necessary heat required to prevent pogo pins from locking up, allowing them to operate in wet and freezing environments.



Front view of 3PTY-RAM-HOL-ZE25PD2U



Back view of 3PTY-RAM-HOL-ZE25LU



CAC Reader Access

Cut out on the side of the dock giving access to the Zebra CAC reader with the ability to open/close the CAC reader door.



Keyboard Compatible

Docks equipped with a unique latch that allows the keyboard to open and close independently.

Accessories



3PTY-RAM-GDS-ROT02-ZE25U
GDS® Roto-Mag™ 4-in-1 Accessory for Zebra ET60/ET65



3PTY-RAM-GDS-CHARGE-V9U
GDS® 20-60VDC Input (12VDC Output) Hardwire Charger

3PTY-RAM-GDS-CHARGE-V10U
GDS® 10-32VDC Input (12VDC Output) Hardwire Charger

Zebra ET60 / ET65 Docks

PART NUMBER	KEY LOCK	POWERED	USB TYPE-A	TEMP-MODULE READY	HEATED POGO PINS
3PTY-RAM-HOL-ZE25U			-	•	
3PTY-RAM-HOL-ZE25LU	•		-	•	
3PTY-RAM-HOL-ZE25PU		•	-	•	
3PTY-RAM-HOL-ZE25PLU	•	•	-	•	
3PTY-RAM-HOL-ZE25PDU		•	Single	•	
3PTY-RAM-HOL-ZE25PDLU	•	•	Single	•	
3PTY-RAM-HOL-ZE25PD2U		•	Dual	•	
3PTY-RAM-HOL-ZE25PD2LU	•	•	Dual	•	
3PTY-RAM-HOL-ZE25PHU		•	-	•	•
3PTY-RAM-HOL-ZE25PHLU	•	•	-	•	•
3PTY-RAM-HOL-ZE25PDHU		•	Single	•	•
3PTY-RAM-HOL-ZE25PDHLU	•	•	Single	•	•
3PTY-RAM-HOL-ZE25PD2HU		•	Dual	•	•
3PTY-RAM-HOL-ZE25PD2HLU	•	•	Dual	•	•

Gamber-Johnson Zebra ET6X 10" Cradle & Docking Station



Zebra ET6X 10" SLIM Cradle

GJ Part Number: 7160-1886-00

Features:

- Designed for the Zebra ET60 and ET65 rugged tablet computer
- Patented Slam Latch for one-handed docking and release for efficient use all day long
- Accommodates the Zebra ET6X attachable keyboard
- VESA 75mm mounting pattern; compatible with Zirkona mounting products
- Compatible with ET6X Standard Battery



Zebra ET6X 10" SLIM Docking Station, No RF

GJ Part Number: 7160-1885-00

Features:

- Designed for the Zebra ET60 and ET65 rugged tablet computer
- POGO pin connector provides power to charge the Zebra tablet while docked
- Patented Slam Latch for one-handed docking and release for efficient use all day long
- Accommodates the Zebra ET6X attachable keyboard
- VESA 75mm mounting pattern; compatible with Zirkona mounting products
- Compatible with ET6X Standard Battery

Power Supplies: Zebra ET6X Docking Station



Lind 11-16V Automobile Power Adapter for Zebra 60/65

GJ Part Number: 7300-0415

Lind power adapter provides regulated power to the docking stations and/or cradles for Zebra tablet computers



Lind Isolated Power Adapter for Zebra 60/65

The Lind Isolated DC/DC Power Adapter is designed to provide a regulated DC output. The rugged design of the adapter makes it ideally suited for use in harsh conditions.

- 7300-0692: LIND Isolated DC/DC 12-32 VDC Power Supply
- 7300-0693: LIND Isolated 20-60 VDC Power Supply
- 7300-0694: LIND Isolated 70-110 VDC Power Supply

Rugged Keyboard: Zebra ET6X Docking Station



Rugged Lite Keyboard

GJ Part Number: 7160-1449-00

Gamber-Johnson's low-profile Rugged Lite keyboard is thin, light-weight, and has an ergonomic feel and is a cost-effective solution and the perfect complement for an application that does not require fully rugged devices.

Gamber-Johnson

Zebra ET6X Mounting Solutions for Material Handling



GUARD LEG MOUNT w/LOCKING SWING ARM MOUNT

GJ Part Number: 7160-1841

Features:

- Universal Mount attaches to all popular rollform and rectangular forklift guard legs
- Locking swing arm keeps devices positioned where you want them
- One-handed operation allows for easy adjustability



GUARD LEG MOUNT

GJ Part Number: 7160-1995

Features:

- One mount for the majority forklift rollform and rectangular overhead guard legs.
- Swing Arm allows for multiple device mounting. Tablets, printers, keyboards, etc. can be mounted in one location.
- Mounting Versatility: Mount sandwiches the guard leg and allows user to position the device at the desired height position



Adjustable Overhead Guard Bar Mount – Tall

GJ Part Number: 7160-1591-01

Features:

- Attaches to angled or vertical forward cross bars, from 0-90 degrees, allowing the mount to attach to a variety of OEM overhead guards
- Vertical adjustability allows the end user to position the device to their specific need
- Updated back plate design allows the mount to be attached between narrow and wide overhead guard grates
- Provides ergonomic tilt and swivel options to position your device



Zirkona 4" Diamond Mount with 6" Medium Dog-Bone and VESA 75mm Plate

GJ Part Number: 7160-1466-01

Features:

- Mounts to various overhead guard leg profiles such as rectangular and roll formed
- Small form factor to secure light weight devices up to 4 lbs at full horizontal extension
- Quick adjust handles for individualized adjustment at each end for optimal positioning
- Includes VESA 75mm mounting hole pattern to accommodate countless docks, cradles and other peripherals





ZEBRA

DIRECT USB-C CHARGING CRADLES FOR ET60 | ET65

- Designed to fit the Zebra ET60 | ET65 tablet for a secure mount to keep your device protected from wear and tear.
- Direct USB-C access between the tablet and cradle provides simultaneous rapid charging and high-speed data transfer under Power Delivery (PD) 3.1 standard.
- USB-C 3.1 connections allow for integration between multiple accessories like scanners, keyboards, printers, and more.
- Rigorously tested for forklift vibration (16Grms), USB-C insertion (20K) to ensure your tablet remains securely docked and fully functional in the harshest work environments.



North America: proclipusa.com/business
Europe: brodit.com

Brodit

ZEBRA

DIRECT USB-C CHARGING CRADLES FOR ET60 | ET65



PART #	DESCRIPTION
3PTY-PCLIP-216466	Direct USB-C Charging Cradles for Zebra ET60 ET65 with Retention Lock



PART #	DESCRIPTION
3PTY-PCLIP-216467	Direct USB-C Charging Cradles for Zebra ET60 ET65 with Key Lock



PART #	DESCRIPTION
216498	Non-Charging Cradle for Zebra ET60 ET65 Android and Windows

POWER SUPPLIES



CLA



*Hard-Wired



AC Wall Adaptor

*Hard-wired power supply may require DC step down converter.

MOUNTING OPTIONS:



Pedestal Mounts



Forklift Mounts



Desktop Mounts